



25 JAN 2006

Stephen T. Olson  
Harness, Dickey & Pierce, PLC  
P.O. Box 828  
Bloomfield Hills, MI 48303

In re Application of  
Grech et al.  
Application No.: 10/540,006  
PCT No.: PCT/US03/38021  
Int. Filing Date: 26 November 2003  
Priority Date: 30 November 2002  
Attorney Docket No.: 4623C-083/NPB  
For: Reduced Water Consumption Flush Toilet


DECISION  
ON  
PETITION


The petition to revive under 37 CFR 1.137(b) filed 20 June 2005 in the above-captioned application is hereby **GRANTED** as follows:

Applicant states that "the entire delay in filing the required reply from the due date for the required reply until the filing of a grantable petition under 37 CFR 1.137(b) was unintentional." This statement is being accepted in satisfaction of 37 CFR 1.137(b)(3).

A review of the application file reveals that counsel has filed the required reply in the form of the basic national fee, and has paid the petition fee. Thus, the requirements of 37 CFR 1.137(b) have been satisfied. Therefore, the request to revive the application abandoned under 35 U.S.C. 371(d) is granted as to the National stage in the United States of America.

This application is being forwarded to the United States Designated/Elected Office for further processing, including the preparation and mailing of a Notification of Missing Requirements (Form PCT/DO/EO/905) requiring the payment of the surcharge under 37 CFR 1.492(h) and the submission of an oath or declaration compliant with 37 CFR 1.497(a) and (b).

  
Richard Cole  
PCT Legal Examiner  
PCT Legal Office

  
George M. Dombroske  
PCT Legal Examiner  
PCT Legal Office  
Tel: (571) 272-3283  
Fax: (571) 273-0459